



***PLUMBING & ELECTRICAL PRODUCTS
FOR HOME & INDUSTRY***

COIL & RIGID

PLASTIC PIPE

***TBA, Inc.; 6700 Enterprise Drive; Louisville, Kentucky 40214
(800)626-3525; (502)367-0222; FAX:(502)361-0715***



SEWER AND DRAIN PIPE

July 1, 2005

PLEASE ORDER BY PART NUMBER.

CO-EX PE SEWER & DRAIN ASTM F-810-83 SDR 38 3000# CRUSH	SIZE	UPC BAR CODE NUMBER	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART #
	3" Solid	000138024732	1380	138	24	10'	002473
3" Perf.	000138024749	1380	138	24	10'	002474	
4" Solid	000138024756	900	90	24	10'	002475	
4" Perf.	000138024763	900	90	24	10'	002476	
4" IN Perf.	000138024770	900	90	24	10'	002477	
4" MI Perf.	000138024787	900	90	24	10'	002478	

PVC GREEN SEWER & DRAIN ASTM D-2729 3000# CRUSH	SIZE	UPC BAR CODE NUMBER	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART #
	3" Solid	000138024565	1380	138	24	10'	002456
3" Perf.	000138044655	1380	138	24	10'	004465	
4" Solid	000138024602	900	90	24	10'	002460	
4" Perf.	000138024633	900	90	24	10'	002463	
4" IN Perf.	000138024640	900	90	24	10'	002464	
4" MI Perf.	000138024657	900	90	24	10'	002465	
6" Solid	000138024695	330	33	24	10'	002469	
6" Perf.	000138024725	330	33	24	10'	002472	

PVC WHITE SEWER & DRAIN ASTM D-2729 3000# CRUSH	SIZE	UPC BAR CODE NUMBER	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART #
	3" Solid	000138061294	810	81	24	10'	006129
3" Perf.	000138024589	810	81	24	10'	002458	
4" Solid	000138024619	900	90	24	10'	002461	
4" Perf.	000138024664	900	90	24	10'	002466	
4" IN Perf.	000138024671	900	90	24	10'	002467	
4" MI Perf.	000138014688	900	90	24	10'	002468	
6" Solid	000138024701	330	33	24	10'	002470	
6" Perf.	000138046079	330	33	24	10'	004607	

PVC GRAY SEWER & DRAIN ASTM D-2729 3000# CRUSH	SIZE	UPC BAR CODE NUMBER	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART #
	4" Solid	000138061300	900	90	24	10'	006130
4" Perf.	000138061317	500	50	40	10'	006131	
4" IN Perf.	000138066329	900	90	24	10'	006632	
4" MI Perf.	000138067418	900	90	24	10'	006741	

(pipe sheets.3-29-05)

FURNISHED IN 10' LENGTHS, BELLED END.

TBA, INCORPORATED PVC SEWER & DRAIN PIPE CONFORMS TO ASTM D-2729 SPECIFICATIONS.

TBA, INCORPORATED PE/SDR 38 CO-EX PIPE CONFORMS TO ASTM F-810-83 SPECIFICATIONS.

PERFORATED WITH TWO ROWS OF 5/8" HOLES ON 5" CENTERS. MEETS MICHIGAN STANDARD.

PERFORATED WITH THREE ROWS OF 3/4" HOLES ON 5" CENTERS. MEETS INDIANA CODE.

PERFORATED WITH THREE ROWS OF 5/8" HOLES ON 5" CENTERS. MEETS STANDARD APPLICATIONS.

6700 Enterprise Drive - Louisville, KY 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715



PVC ASTM-D3034

July 1, 2005

SEWER PIPE

PLEASE ORDER BY PART NUMBER.

PVC GREEN SOLVENT WELD SEWER PIPE SDR 35 ASTM D-3034	UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
4" Solid	000138024824	900	90	24	10'	002482
4" Perf.	000138024831	900	90	24	10'	002483
4" 2-Hole Perf.	000138100535	900	90	24	10'	451-0053
4" 3-Hole Perf.	000138100627	900	90	24	10'	451-0062
6" Solid	000138024862	330	33	24	10'	002486
6" Perf.	000138024879	330	33	24	10'	002487
8" Solid	000138024893	360	36	24	10'	002489
4" Solid	000138059680	1800	90	24	20'	005968

FURNISHED IN 10' LENGTHS, BELLED END.

4" SOLID IS ALSO AVAILABLE IN 20' LENGTHS, BELLED END.

TBA, INCORPORATED PVC SDR-35 PIPE CONFORMS TO ASTM D-3034 SPECIFICATIONS.

PVC WHITE SOLVENT WELD SEWER PIPE SDR 35 ASTM D-3034	UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
4" Solid	000138045003	900	90	24	10'	004500
6" Solid	000138045010	330	33	24	10'	004501

FURNISHED IN 10' LENGTHS, BELLED END.

TBA, INCORPORATED PVC SDR-35 PIPE CONFORMS TO ASTM D-3034 SPECIFICATIONS.

PVC GREEN GASKETED SEWER PIPE SDR 35 ASTM D-3034	UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
4" Solid	000138024817	1170	90	18	13'6"	002481
6" Solid	000138024848	520	40	18	13'6"	002484
8" Solid	000138024886	312	24	18	13'6"	002488
10" Solid	000138024794	195	15	18	13'6"	002479
12" Solid	000138024800	104	8	18	13'6"	002480

FURNISHED IN 13'6" LENGTHS, BELLED END. GASKETS ARE SHIPPED IN PLACE.

INSERTION DEPTH RING IS MARKED ON THE SPIGOT END OF PIPE.

TBA, INCORPORATED PVC SDR-35 GASKET PIPE CONFORMS TO ASTM 3-3034 SPECIFICATIONS.

PVC GREEN GASKETED SEWER PIPE SDR 26 ASTM D-3034	UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
4" Solid	000138063977	1170	90	18	13'6"	006397
6" Solid	000138063274	520	40	18	13'6"	006327
8" Solid	000138063199	312	24	18	13'6"	006319
10" Solid	000138101334	195	15	18	13'6"	451-0133
12" Solid	000138101341	104	8	18	13'6"	451-0134

FURNISHED IN 13'6" LENGTHS, BELLED END. GASKETS ARE SHIPPED IN PLACE.

(pipe sheets.3-29-05)

INSERTION DEPTH RING IS MARKED ON THE SPIGOT END OF PIPE.

TBA, INCORPORATED PVC SDR-26 PIPE CONFORMS TO ASTM D-3034 SPECIFICATIONS.



PVC SCHEDULE 40
DWV PLASTIC PIPE

July 1, 2005

PLEASE ORDER BY PART NUMBER.

		UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
PVC-DWV SCH. 40 ASTM D-2665 DRAIN, WASTE & VENT ONLY	1 1/4"	000138025258	1760	176	48	10'	002525
	1 1/2"	000138025265	1760	176	48	10'	002526
	2"	000138025289	1050	105	48	10'	002528
	3"	000138025302	1250	125	24	10'	005684
	4"	000138025326	760	76	24	10'	005685
	6"	000138066497	330	33	24	10'	006649
	1 1/4"	000138025371	3520	176	24	20'	002537
	1 1/2"	000138025388	3520	176	24	20'	002538
	2"	000138025395	2100	105	24	20'	002539
	3"	000138025401	2500	125	12	20'	002540
	4"	000138060686	1520	76	12	20'	006068
	6"	000138063786	660	33	24	20'	006378

FURNISHED IN 10' & 20' LENGTHS, PLAIN END.

TBA, INCORPORATED PVC-DWV PIPE CONFORMS TO ASTM D-2665.

		UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER T.L.	SIZE/DESC.	PART #
PVC-DWV SCH. 40 ASTM D-2665 DRAIN, WASTE & VENT ONLY	3"	000138044839	2500	125	12	20'	004483
	4"	000138044846	1520	76	12	20'	004484
	4"	000138062680	760	76	24	10'-2 Hole Perf.	006268
	4"	000138025340	760	76	24	10'	002534
	6"	000138063779	330	33	24	10'	006377

FURNISHED IN 10' & 20' LENGTHS, BELLED END.

(pipe sheets.3-29-05)

TBA, INCORPORATED PVC-DWV PIPE CONFORMS TO ASTM D-2665.

PVC-DWV PIPE IS NOT FOR USE IN PRESSURE SYSTEMS.

6700 Enterprise Drive - Louisville, KY 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715



PVC CO-EX CELLULAR
CORE SCH. 40 DWV

July 1, 2005

PLEASE ORDER BY PART NUMBER.

PVC-DWV CELLULAR CORE DRAIN, WASTE & VENT PIPE ASTM F-891	SIZE	UPC BAR CODE	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART NO.
	1 1/2"		000138100573	1760	176	48	10'
		000138100597	3520	176	48	20'	601-0059
2"		000138100580	1050	105	48	10'	601-0058
		000138100603	2100	105	48	20'	601-0060
3"		000138100481	1250	125	24	10'	601-0048
		000138100504	2500	125	12	20'	601-0050
4"		000138100498	760	76	24	10'	601-0049
		000138100511	1520	76	12	20'	601-0051
6"		000138101464	330	33	24	10'	601-0146
		000138101471	660	33	12	20'	601-0147

FURNISHED IN 10' AND 20' LENGTHS, PLAIN END.

TBA, INC. PVC-DWV COEX CELLULAR CORE PIPE CONFORMS TO ASTM F-891.

PVC - DWV CELLULAR CORE DRAIN, WASTE AND VENT PIPE BELLED -END ASTM F-891	SIZE	UPC BAR CODE	FEET PER PALLET	PCS. PER PALLET	PALLETS PER T.L.	LENGTH	PART NO.
	3"		000138101518	1250	125	24	10'
		000138101525	2500	125	12	20'	601-0152
4"		000138101457	760	76	24	10'	601-0145
		000138101532	1200	76	12	20'	601-0153

(pipe sheets. 3-29-05)

FURNISHED IN 10' AND 20' LENGTHS, BELLED END.

TBA, INC. PVC-DWV COEX CELLULAR CORE PIPE CONFORMS TO ASTM F-891.

PVC-DWV CELLULAR CORE PIPE IS NOT FOR USE IN PRESSURE SYSTEMS.

6700 Enterprise Drive - Louisville, Kentucky 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715



PVC PRESSURE PIPE

July 1, 2005

SCHEDULE 40

PLEASE ORDER BY PART NUMBER.

		UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
SCH. 40 PRESSURE PIPE PVC1120 ASTM D-1785 ASTM D-2665 NSF® DUAL MARK POTABLE WATER	1/2"	000138025432	4800	240	28	20'	002543
	3/4"	000138025456	6000	300	28	20'	002545
	1"	000138025470	4800	240	28	20'	002547
	1 1/4"	000138038616	3520	176	24	20'	003861
	1 1/2"	000138040466	3520	176	24	20'	004046
	2"	000138040473	2100	105	24	20'	004047
	3"	000138040480	1760	88	12	20'	004048
	4"	000138045089	570	57	24	10'	004508
	4"	000138040497	1140	57	12	20'	004049
	6"	000138046055	330	33	24	10'	004605
	6"	000138040756	660	33	12	20'	004075

SCHEDULE 40 PIPE IS FURNISHED IN BELLED END LENGTHS AND IS NOT RECOMMENDED FOR THREADING.

ALL SCHEDULE 40 PIPE IS NSF LISTED.

4" & 6" ALSO AVAILABLE IN 10' BELLED END.

		UPC BAR CODE	FEET PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER T.L.	LENGTH	PART #
SCH. 40 PRESSURE PIPE PVC1120 ASTM D-1785 ASTM D-2665 NSF® DUAL MARK POTABLE WATER	1/2"	000138031808	2400	240	56	10'	003180
	3/4"	000138031792	3000	300	56	10'	003179
	1"	000138031785	2400	240	56	10'	003178
	1 1/4"	000138066992	1760	176	48	10'	006699
	1 1/2"	000138067012	1760	176	48	10'	006701
	2"	000138067036	1050	105	48	10'	006703
	3"	000138067050	880	88	32	10'	006705
	4"	000138067074	570	57	32	10'	006707
	6"	000138067098	330	33	24	10'	006709
	1 1/4"	000138067005	3520	176	24	20'	006700
	1 1/2"	000138067029	3520	176	24	20'	006702
	2"	000138067043	2100	105	24	20'	006704
	3"	000138067067	1760	88	16	20'	006706
	4"	000138067081	1140	57	16	20'	006708
	6"	000138067104	660	33	12	20'	006710

SCHEDULE 40 PIPE IS FURNISHED IN PLAIN END LENGTHS AND IS NOT RECOMMENDED FOR THREADING.

ALL SCHEDULE 40 PIPE IS NSF LISTED.

(pipe sheets.3-29-05)

**6700 Enterprise Drive - Louisville, KY 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715**



CPVC HOT AND COLD
WATER PIPE

July 1, 2005

PLEASE ORDER BY PART NUMBER.

HC-CTS TUBING	SIZE	UPC BAR CODE NUMBER	FEET PER PALLET	PCS. PER PALLET	PALLETS PER BUNDLE	LENGTH	PART #
	RIGID	1/2"	719836238104	6000	600	100	10'
100 PSI @ 180° F.	3/4"	719836238135	3000	300	50	10'	002389
ASTM D-2846							
NSF®							
POTABLE WATER							

AVAILABLE IN BUNDLE QUANTITY ONLY.

(pipe sheets.3-29-05)

FURNISHED IN 10' LENGTHS, PLAIN END.

TBA, INCORPORATED CPVC PIPE CONFORMS TO ASTM D-2846 SPECIFICATIONS.



PVC SCHEDULE 40
AND SCHEDULE 80
U.L. - LISTED
ELECTRICAL CONDUIT

July 1, 2005

PLEASE ORDER BY PART NUMBER.

PVC SCH. 40	SIZE	UPC BAR CODE NUMBER	FT. PER PALLET	PCS. PER PALLET	PALLETS PER TRUCK	LENGTH	PART #
	RIGID	1/2"	000138054166	6000	600	56	10'
ELECTRICAL	3/4"	000138054173	4400	440	56	10'	005417
	1"	000138054180	3600	360	56	10'	005418
CONDUIT	1 1/4"	000138054197	3300	330	48	10'	005419
	1 1/2"	000138054203	2250	225	48	10'	005420
U.L. - LISTED	2"	000138054210	1400	140	48	10'	005421
	2 1/2"	000138055903	930	93	48	10'	005590
	3"	000138054470	880	88	24	10'	005447
	4"	000138054487	570	57	24	10'	005448
	6"	000138103642	330	33	24	10'	461-0364
	3"	000138067500	1760	88	12	20'	006750

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS PRODUCED IN 10' LENGTHS WITH BELL END (3" ALSO AVAILABLE IN 20' LENGTHS).

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS GRAY IN COLOR.

PVC SCHEDULE 40 ELECTRICAL CONDUIT MEETS U.L. REQUIREMENTS.

PVC SCH. 80	SIZE	UPC BAR CODE NUMBER	FT. PER PALLET	PCS. PER PALLET	PALLETS PER TRUCK	LENGTH	PART #
	RIGID	1/2"	000138062765	6000	600	56	10'
ELECTRICAL	3/4"	000138062673	4400	440	56	10'	006267
	1"	000138062772	3600	360	56	10'	006277
CONDUIT	1 1/4"	000138059758	3300	330	56	10'	005975
	1 1/2"	000138059765	2250	225	56	10'	005976
U.L. - LISTED	2"	000138059772	1400	140	56	10'	005977
	2 1/2"	000138061737	930	93	56	10'	006173
	3"	000138061744	880	88	24	10'	006174

PVC SCHEDULE 80 ELECTRICAL CONDUIT IS PRODUCED IN 10' LENGTHS WITH BELL END.

(pipe sheet.3-29-05)

PVC SCHEDULE 80 ELECTRICAL CONDUIT IS GRAY IN COLOR.

PVC SCHEDULE 80 ELECTRICAL CONDUIT MEETS U.L. REQUIREMENTS.

6700 Enterprise Drive - Louisville, KY 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715



July 1, 2005

PVC SCHEDULE 40
AND SCHEDULE 80
NON U.L.-LISTED
ELECTRICAL CONDUIT

PLEASE ORDER BY PART NUMBER.

PVC SCH. 40		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
RIGID ELECTRICAL CONDUIT NON U.L.-LISTED	1"	111138103673	2400	240	56	10'	401-0367
	2"	000138056221	1050	105	48	10'	005622
	2 1/2"	000138103666	1050	105	48	10'	401-0366
	3"	000138056238	1250	125	24	10'	005623
	1"	000138103994	4800	240	56	20'	401-0399
	2"	000138103659	2100	105	24	20'	401-0365
	2 1/2"	000138103833	2100	105	24	20'	401-0383

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS PRODUCED IN 10' & 20' LENGTHS WITH BELL END.

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS GRAY IN COLOR.

PVC SCH. 80		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
RIGID ELECTRICAL CONDUIT NON U.L.-LISTED	2"	000138103697	1050	105	48	10'	401-0369
	2 1/2"	000138103703	1050	105	48	10'	401-0370
	3"	000138104014	880	88	24	10'	401-0401

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS PRODUCED IN 10' LENGTHS WITH BELL END.

(pipe sheet.3-29-05)

PVC SCHEDULE 40 ELECTRICAL CONDUIT IS GRAY IN COLOR.

6700 Enterprise Drive - Louisville, KY 40214
(502)367-0222 - (800)626-3525 - FAX:(502)361-0715



PVC SCHEDULE 40 AND
SCHEDULE 80 DIRECT
BURIAL CONDUIT AND
VICTAULIC GROOVE

July 1, 2005

PLEASE ORDER BY PART NUMBER.

PVC-TC6 DB60 DIRECT BURIAL CONDUIT ASTM F512 NON-U.L. LISTED		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
	2"	000138102294	3840	193	48	20'	401-0229
	3"	000138102300	1760	88	16	20'	401-0230
	4"	000138101501	1140	57	16	20'	401-0150

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS PRODUCED IN 20' LENGTHS, BELLED END.

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS GRAY IN COLOR.

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS NOT U.L.-APPROVED.

PVC-TC8 DB120 DIRECT BURIAL CONDUIT ASTM F512 NON-U.L. LISTED		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
	2"	000138103741	2100	105	48	20'	401-0374

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS PRODUCED IN 20' LENGTHS, BELLED END.

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS GRAY IN COLOR.

TBA, INCORPORATED DIRECT BURIAL CONDUIT IS NOT U.L.-APPROVED.

PVC-1120 SCH. 80 VICTAULIC GROOVE ASTM D1785		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
	2"	000138060730	2100	105	24	20'	006073
	3"	000138060747	1760	88	12	20'	006074
	4"	000138060754	1140	57	12	20'	006075
	6"	000138061515	660	33	12	20'	006151

TBA, INCORPORATED VICTAULIC GROOVE PIPE IS PRODUCED IN 20' LENGTHS.

TBA, INCORPORATED VICTAULIC GROOVE PIPE IS GRAY IN COLOR.

PVC-1120 SCH. 40 VICTAULIC GROOVE ASTM D1785		UPC BAR CODE	FT. PER	PCS. PER	PALLETS		
	SIZE	NUMBER	PALLET	PALLET	PER TRUCK	LENGTH	PART #
	2"	000138063403	2100	105	24	20'	006340
	4"	000138063410	1520	76	12	20'	006341

TBA, INCORPORATED VICTAULIC GROOVE PIPE IS PRODUCED IN 20' LENGTHS.

(pipe sheets.3-29-05)

TBA, INCORPORATED VICTAULIC GROOVE PIPE IS GRAY IN COLOR.



FLEXIBLE COIL PIPE

PLEASE ORDER BY PART NUMBER.

HD CTS SDR-9 200 PSI PE 3408	UPC BAR CODE		LENGTH	PART #
	SIZE	NUMBER		
NSF® POTABLE WATER	3/4"	000138023223	100'	002322
	3/4"	000138023230	500'	002323
	1"	000138023209	100'	002320
	1"	000138023216	500'	002321

TBA, INCORPORATED CTS SDR-9 PIPE CONFORMS TO PE-3408, ASTM D-2737 SPECIFICATIONS.

TBA, INCORPORATED CTS SDR-9 PIPE IS PERMANENTLY MARKED WITH INDENT PRINTING.

HD 200 SIDR-7	UPC BAR CODE		LENGTH	PART #
	SIZE	NUMBER		
PE 3408 NSF® POTABLE WATER	3/4"	000138045867	100'	004586
	3/4"	000138045874	400'	004587
	1"	000138045898	300'	004589
	1 1/4"	000138045911	100'	004591
	1 1/4"	000138045928	300'	004592

TBA, INCORPORATED 200# SIDR-7 PIPE CONFORMS TO PE-3408, ASTM D-2339 SPECIFICATIONS.

TBA, INCORPORATED 200# SIDR-7 PIPE IS PERMANENTLY MARKED WITH INDENT PRINTING.

HD 160 SIDR-9	UPC BAR CODE		LENGTH	PART #
	SIZE	NUMBER		
PE 3408 NSF® POTABLE WATER	1/2"	000138023582	100'	002358
	1/2"	000138025395	400'	002359
	3/4"	000138023650	100'	002365
	3/4"	000138023674	400'	002367
	1"	000138023568	100'	002356
	1"	000138023605	300'	002360
	1 1/4"	000138023629	100'	002362
	1 1/4"	000138023636	300'	002363

TBA, INCORPORATED 160# SIDR-9 PIPE CONFORMS TO PE-3408, ASTM D-2339 SPECIFICATIONS.

TBA, INCORPORATED 160# SIDR-9 PIPE IS PERMANENTLY MARKED WITH INDENT PRINTING.

HD 100 SIDR-15	UPC BAR CODE		LENGTH	PART #
	SIZE	NUMBER		
PE 3408 NSF® POTABLE WATER	1/2"	000138023476	100'	002347
	1/2"	000138023483	400'	002348
	3/4"	000138023544	100'	002354
	3/4"	000138023551	400'	002355
	1"	000138023445	100'	002344
	1"	000138023490	300'	002349
	1 1/4"	000138023506	100'	002350
	1 1/4"	000138023513	300'	002351
	1 1/2"	000138023452	100'	002345
2"	000138023520	100'	002352	

TBA, INCORPORATED 100# SIDR-15 PIPE CONFORMS TO PE-3408, ASTM D-2339 SPECIFICATIONS.

(pipe sheets.3-29-05)

TBA, INCORPORATED 100# SIDR-15 PIPE IS PERMANENTLY MARKED WITH INDENT PRINTING.



TBA, INC. PE 3408
UTILITY COIL PIPE

July 1, 2005

PLEASE ORDER BY PART NUMBER.

	UPC BAR CODE		LENGTH	PART #
	SIZE	NUMBER		
100 PSI UTILITY IRRIGATION PIPE SIDR-11.5 PE 3408				
	1/2"	000138023780	100'	002378
	1/2"	000138023797	400'	002379
	3/4"	000138023858	100'	002385
	3/4"	000138025865	400'	002386
	1"	000138023759	100'	002375
	1"	000138023803	300'	002380
	1 1/4"	000138023810	100'	002381
	1 1/4"	000138023827	300'	002382
	1 1/2"	000138023766	100'	002376
	1 1/2"	000138023773	250'	002377
	2"	000138023834	100'	002383
	2"	000138023841	200'	002384

TBA, INCORPORATED 100# SIDR-11.5 PIPE CONFORMS TO PE-3408 SPECIFICATIONS.

(pipe sheet.3-29-05)

UTILITY COIL PIPE IS FOR IRRIGATION APPLICATIONS ONLY; IT CANNOT BE USED FOR DRINKING WATER.

TBA, INCORPORATED 100# SIDR-11.5 PIPE IS PERMANENTLY MARKED WITH INDENT PRINTING.